



multitech


LCC-3000 Electronic Signage




Ref.	D3-051104	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed / glass	
	free-standing	
Dimension	screen	40"
	housing display	approx. 1100 x 650 x 70mm
	system	approx. 2200 x 660 x 80mm




Ref.	D3-080602	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium polished	
	free-standing	
Dimension	screen	40"
	housing display	approx. 1100 x 670 x 70mm
	system	approx. 2250 x 1100 x 140mm




Ref.	D3-030101	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	steel colour	
	free standing	
Dimension	screen	30"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 2100 x 500 x 110mm




Ref.	D3-030402	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed	
	free standing	
Dimension	screen	30"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 2100 x 550 x 110mm



Ref.	D3-050301	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted (integrated)	
Dimension	screen	30"
	housing display	approx. 1000 x 480 x 70mm
	system	approx. 1040 x 500 x 90mm




Ref.	D3-030501	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	housing in wood with brass panel wall mounted	
Dimension	screen	30"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 1100 x 550 x 120mm




Ref.	D2-020135	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and a frame in wood	
	wall mounting	
Dimension	screen	30"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 900 x 520 x 120mm




Ref.	D2-020136	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and a frame in wood	
Dimension	screen	30"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 900 x 520 x 120mm





Ref.	D2-040603	
Version	LCC-3000	
Number of screens	1 display board (2x)	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and front panel in chromium brushed wall mounting	
Dimension	screen	30"
	housing display	approx. 1000 x 480 x 70mm
	system	approx. 1040 x 520 x 73mm




Ref.	D3-060101	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	steel black	
	free standing	
Dimension	screen	32"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 2100 x 500 x 110mm



Ref.	D3-00602	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	wood black	
	free standing	
Dimension	screen	32"
	housing display	approx. 850 x 500 x 100mm
	system	approx. 2000 x 900 x 100mm




Ref.	D3-071114	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium polished wall mounted (integrated)	
Dimension	screen	23"
	housing display	approx. 2000 x 400 x 75mm
	system	approx. 680 x 390 x 70mm



Ref.	D3-060103	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	aluminium housing with glass cover for wall-mounting	
Dimension	screen	32"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 900 x 550 x 110mm





Ref.	D3-050201	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1280 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	glass cover integrated in a wooden housing	
	free standing	
Dimensions	screen	23"
	housing display	approx. 560 x 370 x 90mm
	system	approx. 2000 x 500 x 400mm





Ref.	D3-080402	
Version	LCC-3000	
Number of screens	1 display board (1 to4)	
Resolution	1280 x 1024 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	brass brushed & wood frame free standing	
Dimensions	screen	20.1"
	housing display	approx. 470 x 370 x 90mm
	system	approx. 1800 x 390 x 70mm




Ref.	D3-060702	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	steel colour / glass	
Dimension	free-standing	
	screen	15"
	housing display system	approx. 360 x 360 x 70mm approx. 1700 x 370 x 75mm




Ref.	D3-050501	
Version	LCC-3000 incl. TV-tuner	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and front panel in glass wall mounted (integrated)	
Dimension	screen	32"
	housing display	approx. 790 x 500 x 110mm
	system	approx. 850 x 520 x 120mm




Ref.	D3-050502	
Version	LCC-3000 incl. TV-tuner	
Number of screens	2 & 1 display board	
Resolution	1366 x 768 dots / 1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and front panel in glass wall mounted (integrated)	
Dimension	screen	32" (15")
	housing display	approx. 850 x 500 x 110mm
	system	approx. 900 x 520 x 120mm




Ref.	D3-050701	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	aluminium supporter and front panel in chromium brushed wall mounted	
Dimension	screen	32"
	housing display system	approx. 1100 x 500 x 70mm approx. 1110 x 506 x 72mm




Ref.	D3-050601	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	NT / 2000 / XP	
Material	brass panel, frame in wood (Mahogany)	
	wall mounted	
Dimension	screen	32"
	housing display system	approx. 1100 x 500 x 70mm
		approx. 1200 x 550 x 90mm




Ref.	D3-060701	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	steel colour	
Dimension	integrated screen	32"
	housing display	approx. 850 x 500 x 110mm
	system	approx. 900 x 560 x 120mm




Ref.	D3-080602	
Version	LCC-3000	
Number of screens	1 display board (2)	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed	
	integrated	
Dimension	screen	32"
	housing display	approx. 850 x 500 x 65mm
	system	approx. 1200 x 520 x 650m



Ref.	D3-051106	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed	
	Wall-mounted	
Dimension	screen	32"
	housing display system	approx. 850 x 500 x 70mm
		approx. 1100 x 505 x 75mm



Ref.	D3-080501	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1366 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	brass brushed & wood frame	
Dimension	Wall-mounted	
	screen	42"
	housing display system	approx. 1300 x 600 x 75mm approx. 1290 x 580 x 70m



Ref.	D3-080503	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	Brass brushed & wood frame wall mounted (integrated)	
Dimension	screen	15"
	housing display	approx. 370 x 450 x 75mm
	system	approx. 380 x 460 x 80mm





Ref.	D3-070607	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted (integrated)	
Dimension	screen	15"
	housing display	approx. 370 x 450 x 75mm
	system	approx. 380 x 460 x 80mm



Ref.	D3-070911	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted (integrated)	
Dimension	screen	23"
	housing display	approx. 700 x 450 x 75mm
	system	approx. 680 x 440 x 70mm




Ref.	D3-040705	
Version	LCC-3000	
Number of screens	1 display board (1 to 20)	
Resolution	640 x 480 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted	
Dimension	screen	10.4"
	housing display	approx. 300 x 300 x 70mm
	system	approx. 340 x 420 x 90mm



Ref.	D3-040601	
Version	LCC-3000	
Number of screens	1 display board (1 to 12)	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted (integrated)	
Dimension	screen	15"
	housing display	approx. 370 x 450 x 75mm
	system	approx. 410 x 580 x 100mm




Ref.	D3-040602	
Version	LCC-3000	
Number of screens	1 display board (1 to 12)	
Resolution	640 x 480 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	chromium brushed with glass cover wall mounted (integrated)	
Dimension	screen	10.4"
	housing display	approx. 300 x 300 x 70mm
	system	approx. 340 x 420 x 90mm



Ref.	D3-030407	
Version	LCC-3000	
Number of screens	1 display board (1 to 12)	
Resolution	640 x 480 bots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	aluminium colour wall mounted	
Dimension	screen	10.4"
	housing display	approx. 320 x 320 x 65mm
	system	approx. 500 x 350 x 75mm



Ref.	D3-030502	
Version	LCC-3000	
Number of screens	1 display board (1 to 4)	
Resolution	640 x 480 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	housing in wood with brass panel wall mounted	
Dimension	screen	10.4"
	housing display	approx. 320 x 320 x 65mm
	system	approx. 500 x



Ref.	D3-080603	
Version	LCC-3000	
Number of screens	1 display board	
Resolution	1024 x 768 dots	
Display	LCD-TFT colour	
Power source	230V/50Hz	
Software	for PC Windows NT / 2000 / XP	
Material	brass brushed wall mounted (integrated)	
Dimension	screen	15"
	housing display	approx. 350 x 370 x 50mm
	system	approx. 370 x 430 x 55mm